

TEMPORARY

Serial No. 56287 T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office. MAY 13 1991

Returned to applicant for correction.

Corrected application filed. Map filed.

The applicant Westpac Utilities, a division of Sierra Pacific Power Company  
6100 Neil Road, P. O. Box 30028 of Reno  
Street and No. or P.O. Box No. City or Town

Nevada 89520-3028 hereby make<sup>s</sup> application for permission to change the  
State and Zip Code No.

Point of Diversion, Place and Manner of Use of a Portion  
Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit 28055, Certificate 10641  
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.

1. The source of water is underground  
Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 0.25 cfs, 10.0 acre-feet per annum  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for construction purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for municipal and domestic purposes  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point situated in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ , Section 31,  
Describe as being within a 40-acre subdivision of public survey and by course and  
T.19N., R.20E., M.D.B.&M., or at a point from which the East  $\frac{1}{4}$  corner of  
distance to a section corner. If on unsurveyed land, it should be stated.

Section 6, T.18N., R.20E., M.D.B.&M. bears South 31°25'19" East, a distance of 5,726.19 feet.

6. The existing permitted point of diversion is located within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ , Section 17, T.19N.,  
If point of diversion is not changed, do not answer.  
R.20E., M.D.B.&M., or at a point from which the West  $\frac{1}{4}$  corner of said Section  
17 bears South 82°42'26" west, a distance of 4,130.0 feet.

7. Proposed place of use the certified water service area of Westpac Utilities as  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
described in the legal description of file with the State Engineer's office.

8. Existing place of use is the Reno-Sparks area which is within Section 13, E $\frac{1}{2}$  of  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
Section 24, T.19N., R.19E., M.D.B.&M., and Sections 16, 17 and S $\frac{1}{2}$  of Section 18  
manner of use of irrigation permit, describe acreage to be removed from irrigation.  
and Sections 19 and 20, all within T.19N., R.20E. M.D.B.&M.

9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Water is pumped from the basement of the  
Sierra Pacific Power Company office State manner in which water is to be diverted, i.e. diversion structure,  
building to existing ponds, then will pumped from the ponds to construction  
ditches, pipes and flumes, or drilled well, etc. water trucks.

12. Estimated cost of works.

13. Estimated time required to construct works. 60 days

14. Estimated time required to complete the application of water to beneficial use..... 1 year

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Westpac Utilities is applying for a temporary permit to supply construction water for contractors. Water rights for this permit are a portion of those permitted to Westpac's Pezzi well.

By s/ Robert R. Squires, Agent  
Robert R. Squires  
6100 Neil Road, P.O. Box 30028  
Reno, NV 89520-3028  
Compared..... am/ se ..... am/se  
Protested.....

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as heretofore granted under Permit 28055, Certificate 10641 is issued subject to the terms and conditions imposed in said Permit 28055, Certificate 10641 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on July 17, 1992 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.25 .....cubic feet per second, but not to exceed 3.26 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
State Engineer of Nevada, have hereunto set my hand and the seal of my  
office, this 18th day of July  
A.D. 19 91  
*[Signature]*  
State Engineer

TEMPORARY

TEMPORARY